

**SCREENING REPORT FOR AN ENVIRONMENTAL AUTHORIZATION AS
REQUIRED BY THE 2014 EIA REGULATIONS – PROPOSED SITE
ENVIRONMENTAL SENSITIVITY**

EIA Reference number: N/A

Project name: Macassar WWTW and Eskom Line

Project title: Macassar WWTW

Date screening report generated: 26/08/2024 15:34:19

Applicant: City of Cape Town

Compiler: Zutari (Pty) Ltd

Compiler signature:

.....


Application Category: Services|Water services|Treatment and Waste Water

Table of Contents


Proposed Project Location	3
Orientation map 1: General location	3
Map of proposed site and relevant area(s)	4
Cadastral details of the proposed site	4
Wind and Solar developments with an approved Environmental Authorisation or applications under consideration within 30 km of the proposed area	6
Environmental Management Frameworks relevant to the application	6
Environmental screening results and assessment outcomes	6
Relevant development incentives, restrictions, exclusions or prohibitions	6
Proposed Development Area Environmental Sensitivity	7
Specialist assessments identified	7
Results of the environmental sensitivity of the proposed area	9
MAP OF RELATIVE AGRICULTURE THEME SENSITIVITY	9
MAP OF RELATIVE ANIMAL SPECIES THEME SENSITIVITY	10
MAP OF RELATIVE AQUATIC BIODIVERSITY THEME SENSITIVITY	11
MAP OF RELATIVE ARCHAEOLOGICAL AND CULTURAL HERITAGE THEME SENSITIVITY	12
MAP OF RELATIVE CIVIL AVIATION THEME SENSITIVITY	13
MAP OF RELATIVE DEFENCE THEME SENSITIVITY	14
MAP OF RELATIVE PALEONTOLOGY THEME SENSITIVITY	15
MAP OF RELATIVE PLANT SPECIES THEME SENSITIVITY	16
MAP OF RELATIVE TERRESTRIAL BIODIVERSITY THEME SENSITIVITY	19

Proposed Project Location

Orientation map 1: General location



Map of proposed site and relevant area(s)



Cadastral details of the proposed site

Property details:

No	Farm Name	Farm/ Erf No	Portion	Latitude	Longitude	Property Type
1	MACASSAR	3340	0	34°3'52.2S	18°46'30.91E	Erven
2	MACASSAR	3345	0	34°3'51.36S	18°46'33.12E	Erven
3	MACASSAR	3343	0	34°3'51.69S	18°46'32.24E	Erven
4	MACASSAR	702	0	34°4'44.83S	18°45'53.34E	Erven
5	MACASSAR	702	0	34°4'47S	18°45'48E	Erven
6	MACASSAR	1971	0	34°4'5.13S	18°45'56.06E	Erven
7	MACASSAR	3335	0	34°3'53.05S	18°46'28.69E	Erven
8	MACASSAR	3341	0	34°3'52.03S	18°46'31.35E	Erven
9	MACASSAR	1973	0	34°4'5.48S	18°45'55.76E	Erven
10	MACASSAR	1979	0	34°4'6.56S	18°45'54.85E	Erven
11	MACASSAR	1968	0	34°4'4.61S	18°45'56.61E	Erven
12	MACASSAR	3337	0	34°3'52.7S	18°46'29.58E	Erven
13	MACASSAR	1976	0	34°4'5.98S	18°45'55.3E	Erven
14	MACASSAR	2136	0	34°4'2.67S	18°45'58.01E	Erven
15	MACASSAR	1972	0	34°4'5.3S	18°45'55.91E	Erven
16	MACASSAR	1967	0	34°4'4.34S	18°45'56.68E	Erven
17	MACASSAR	1978	0	34°4'6.31S	18°45'55E	Erven
18	MACASSAR	1969	0	34°4'4.8S	18°45'56.37E	Erven
19	MACASSAR	3338	0	34°3'52.54S	18°46'30.03E	Erven
20	MACASSAR	1209	0	34°4'10.39S	18°45'52.75E	Erven
21	MACASSAR	3342	0	34°3'51.87S	18°46'31.8E	Erven
22	MACASSAR	1977	0	34°4'6.15S	18°45'55.15E	Erven
23	FIRGROVE	674	0	34°3'33.97S	18°47'5.45E	Erven
24	MACASSAR	3344	0	34°3'51.52S	18°46'32.68E	Erven
25	FIRGROVE	872	0	34°3'57.32S	18°46'13.51E	Erven
26	MACASSAR	1970	0	34°4'4.97S	18°45'56.22E	Erven
27	MACASSAR	1975	0	34°4'5.81S	18°45'55.45E	Erven

28	MACASSAR	2139	0	34°4'3.81S	18°45'57.14E	Erven
29	MACASSAR	1980	0	34°4'6.63S	18°45'54.57E	Erven
30	MACASSAR	1981	0	34°4'6.73S	18°45'54.31E	Erven
31	MACASSAR	3334	0	34°3'53.23S	18°46'28.23E	Erven
32	MACASSAR	6306	0	34°3'42.21S	18°46'45.94E	Erven
33	MACASSAR	6307	0	34°3'42.83S	18°46'46.82E	Erven
34	MACASSAR	707	0	34°4'14.9S	18°46'1.1E	Erven
35	MACASSAR	2138	0	34°4'3.36S	18°45'57.45E	Erven
36	MACASSAR	708	0	34°4'14.51S	18°45'45.06E	Erven
37	MACASSAR	6305	0	34°3'43.41S	18°46'48.46E	Erven
38	FIRGROVE	703	0	34°4'26.45S	18°45'29.68E	Erven
39	MACASSAR	711	0	34°3'42.46S	18°46'48.62E	Erven
40	FIRGROVE	635	0	34°3'54.26S	18°46'21.96E	Erven
41	MACASSAR	710	0	34°3'42.43S	18°46'47.11E	Erven
42	MACASSAR	5315	0	34°4'0.66S	18°46'29.02E	Erven
43	MACASSAR	712	0	34°3'42.58S	18°46'45.65E	Erven
44	FIRGROVE	635	0	34°4'26.03S	18°46'53.2E	Erven
45	FIRGROVE	874	0	34°3'57.55S	18°46'13.56E	Erven
46	FIRGROVE	670	0	34°3'49.42S	18°46'53.62E	Erven
47	FIRGROVE	670	0	34°3'49.33S	18°46'53.62E	Erven
48	MACASSAR	7453	0	34°3'33.63S	18°46'47.05E	Erven
49	MACASSAR	2137	0	34°4'3.02S	18°45'57.76E	Erven
50	MACASSAR	1974	0	34°4'5.64S	18°45'55.6E	Erven
51	MACASSAR	3339	0	34°3'52.37S	18°46'30.47E	Erven
52	MACASSAR	3336	0	34°3'52.88S	18°46'29.14E	Erven
53	FIRGROVE	637	0	34°3'55.88S	18°46'30.96E	Erven
54	MACASSAR	1205	0	34°4'36.22S	18°45'48.35E	Erven
55	MACASSAR	702	0	34°4'34.67S	18°45'17.94E	Erven
56	FIRGROVE	635	0	34°4'26.49S	18°46'53.22E	Erven
57	FIRGROVE	673	0	34°3'44.31S	18°46'48.35E	Erven
58	MACASSAR	7454	0	34°3'36.91S	18°46'41.78E	Erven
59	HELDERBERG SLEEPER PLANTATION	787	0	34°4'11.7S	18°47'52.12E	Farm
60		794	0	34°4'53.14S	18°48'43.37E	Farm
61	ZANDVLIET	680	0	34°3'50.4S	18°46'35.1E	Farm
62		785	0	34°3'38.92S	18°46'51.39E	Farm
63	DRIFT SANDS	789	0	34°4'25.5S	18°46'9.93E	Farm
64		785	0	34°3'33.34S	18°46'57.46E	Farm
65	DRIFT SANDS	789	0	34°4'56.58S	18°46'24.36E	Farm
66	RUSTENBURG	681	23	34°3'34.03S	18°46'47.03E	Farm Portion
67		794	37	34°4'11.28S	18°48'24.89E	Farm Portion
68		794	37	34°4'12.53S	18°48'25.19E	Farm Portion
69		785	18	34°3'34.07S	18°46'57.58E	Farm Portion
70	HELDERBERG SLEEPER PLANTATION	787	11	34°4'3.58S	18°47'58.72E	Farm Portion
71		785	5	34°3'40.4S	18°46'51.06E	Farm Portion
72	ZANDVLIET	680	7	34°3'44.7S	18°46'46.79E	Farm Portion
73	HELDERBERG SLEEPER PLANTATION	787	5	34°3'30.06S	18°47'28.27E	Farm Portion
74		1106	0	34°4'4.36S	18°46'20.36E	Farm Portion
75		794	38	34°4'52.68S	18°48'3.99E	Farm Portion
76		785	19	34°3'33.88S	18°46'52.6E	Farm Portion
77	DRIFT SANDS	789	0	34°4'56.59S	18°46'24.36E	Farm Portion
78		794	35	34°4'57.47S	18°48'27.04E	Farm Portion
79	RUSTENBURG	681	13	34°3'37.23S	18°46'41.75E	Farm Portion
80	HELDERBERG SLEEPER PLANTATION	787	12	34°3'47.07S	18°48'5.3E	Farm Portion
81		794	43	34°5'9.03S	18°48'49.69E	Farm Portion
82	DRIFT SANDS	789	0	34°4'25.59S	18°46'10.13E	Farm Portion
83	MACASSAR	3333	0	34°3'52.26S	18°46'29.49E	Public Place

84	MACASSAR	712	0	34°3'41.04S	18°46'46.09E	Public Place
85	MACASSAR	1062	0	34°4'5.86S	18°45'40.77E	Public Place
86	FIRGROVE	720	0	34°3'59.36S	18°46'12.04E	Public Place
87	MACASSAR	1063	0	34°4'2.96S	18°46'2.2E	Public Place
88	MACASSAR	839	0	34°3'49.56S	18°46'2.95E	Public Place
89	MACASSAR	1063	0	34°3'56.44S	18°46'15.89E	Public Place
90	MACASSAR	711	0	34°3'44.75S	18°46'46.27E	Public Place
91	FIRGROVE	721	0	34°4'15.35S	18°46'5.75E	Public Place
92	MACASSAR	486	0	34°4'41.07S	18°45'12.05E	Public Place
93	MACASSAR	1063	0	34°3'57.4S	18°46'12.68E	Public Place
94	FIRGROVE	720	0	34°3'56.47S	18°46'19.7E	Public Place

Development footprint¹ vertices:

No development footprint(s) specified.

Wind and Solar developments with an approved Environmental Authorisation or applications under consideration within 30 km of the proposed area

No nearby wind or solar developments found.

Environmental Management Frameworks relevant to the application

No intersections with EMF areas found.

Environmental screening results and assessment outcomes

The following sections contain a summary of any development incentives, restrictions, exclusions or prohibitions that apply to the proposed development site as well as the most environmental sensitive features on the site based on the site sensitivity screening results for the application classification that was selected. The application classification selected for this report is:

Services | Water services | Treatment and Waste Water.

Relevant development incentives, restrictions, exclusions or prohibitions

The following development incentives, restrictions, exclusions or prohibitions and their implications that apply to this site are indicated below.

Incentive, restriction or prohibition	Implication
Strategic Transmission Corridor-Central corridor	https://screening.environment.gov.za/ScreeningDownloads/DevelopmentZones/Combined_EGI.pdf
Main Electricity Transmission Substation	https://screening.environment.gov.za/ScreeningDownloads/DevelopmentZones/Distribution_Transmission.pdf

¹ “development footprint”, means the area within the site on which the development will take place and includes all ancillary developments for example roads, power lines, boundary walls, paving etc. which require vegetation clearance or which will be disturbed and for which the application has been submitted.

Main Electricity Distribution Substation	https://screening.environment.gov.za/ScreeningDownloads/DevelopmentZones/Distribution_Transmission.pdf
--	---

Proposed Development Area Environmental Sensitivity

The following summary of the development site environmental sensitivities is identified. Only the highest environmental sensitivity is indicated. The footprint environmental sensitivities for the proposed development footprint as identified, are indicative only and must be verified on site by a suitably qualified person before the specialist assessments identified below can be confirmed.

Theme	Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
Agriculture Theme		X		
Animal Species Theme		X		
Aquatic Biodiversity Theme	X			
Archaeological and Cultural Heritage Theme	X			
Civil Aviation Theme			X	
Defence Theme				X
Paleontology Theme			X	
Plant Species Theme			X	
Terrestrial Biodiversity Theme	X			

Specialist assessments identified

Based on the selected classification, and the known impacts associated with the proposed development, the following list of specialist assessments have been identified for inclusion in the assessment report. It is the responsibility of the EAP to confirm this list and to motivate in the assessment report, the reason for not including any of the identified specialist study including the provision of photographic evidence of the site situation.


No	Specialist assessment	Assessment Protocol
1	Agricultural Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_General_Agriculture_Assessment_Protocols.pdf
2	Archaeological and Cultural Heritage Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_General_Requirement_Assessment_Protocols.pdf
3	Palaeontology Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_General_Requirement_Assessment_Protocols.pdf
4	Terrestrial Biodiversity Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_Terrestrial_Biodiversity_Assessment_Protocols.pdf
5	Aquatic Biodiversity Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_Aquatic_Biodiversity_Assessment_Protocols.pdf
6	Hydrology Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_General_Requirement_Assessment_Protocols.pdf

7	Geotechnical Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_General_Requirement_Assessment_Protocols.pdf
8	Health Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_General_Requirement_Assessment_Protocols.pdf
9	Socio-Economic Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_General_Requirement_Assessment_Protocols.pdf
10	Ambient Air Quality Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_General_Requirement_Assessment_Protocols.pdf
11	Plant Species Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_Plant_Species_Assessment_Protocols.pdf
12	Animal Species Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_Animal_Species_Assessment_Protocols.pdf

Results of the environmental sensitivity of the proposed area.

The following section represents the results of the screening for environmental sensitivity of the proposed site for relevant environmental themes associated with the project classification. It is the duty of the EAP to ensure that the environmental themes provided by the screening tool are comprehensive and complete for the project. Refer to the disclaimer.

MAP OF RELATIVE AGRICULTURE THEME SENSITIVITY




Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
	X		

Sensitivity Features:

Sensitivity	Feature(s)
High	Land capability;09. Moderate-High/10. Moderate-High
Low	Land capability;01. Very low/02. Very low/03. Low-Very low/04. Low-Very low/05. Low
Medium	Land capability;06. Low-Moderate/07. Low-Moderate/08. Moderate

MAP OF RELATIVE ANIMAL SPECIES THEME SENSITIVITY




Where only a sensitive plant unique number or sensitive animal unique number is provided in the screening report and an assessment is required, the environmental assessment practitioner (EAP) or specialist is required to email SANBI at eiadatarequests@sanbi.org.za listing all sensitive species with their unique identifiers for which information is required. The name has been withheld as the species may be prone to illegal harvesting and must be protected. SANBI will release the actual species name after the details of the EAP or specialist have been documented.

Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
	X		

Sensitivity Features:

Sensitivity	Feature(s)
High	Aves-Circus ranivorus
High	Aves-Circus maurus
High	Aves-Hydroprogne caspia
High	Aves-Pelecanus onocrotalus
Low	Subject to confirmation
Medium	Aves-Turnix hottentottus
Medium	Aves-Afrodis afra
Medium	Aves-Sarothrura affinis
Medium	Invertebrate-Frankenbergerius opacus
Medium	Invertebrate-Pachysoma aesculapius
Medium	Invertebrate-Aneuryphymus montanus

MAP OF RELATIVE AQUATIC BIODIVERSITY THEME SENSITIVITY




Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
X			

Sensitivity Features:

Sensitivity	Feature(s)
Low	Low sensitivity
Very High	CBA 1: Aquatic
Very High	CBA 2: Aquatic (degraded)
Very High	Estuary_Eerste
Very High	Rivers_D
Very High	Rivers_E
Very High	SWSA (SW) _Boland
Very High	Wetlands_(Estuary)
Very High	Wetlands_Southwest Fynbos Bioregion (Floodplain)

MAP OF RELATIVE ARCHAEOLOGICAL AND CULTURAL HERITAGE THEME SENSITIVITY




Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
X			

Sensitivity Features:

Sensitivity	Feature(s)
Low	Low sensitivity
Very High	Within 2km of a Grade II Heritage site

MAP OF RELATIVE CIVIL AVIATION THEME SENSITIVITY




Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
		X	

Sensitivity Features:

Sensitivity	Feature(s)
Medium	Between 15 and 35 km from a civil aviation radar
Medium	Between 15 and 35 km from a major civil aviation aerodrome
Medium	Between 8 and 15 km of other civil aviation aerodrome

MAP OF RELATIVE DEFENCE THEME SENSITIVITY




Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
			X

Sensitivity Features:

Sensitivity	Feature(s)
Low	Low Sensitivity

MAP OF RELATIVE PALEONTOLOGY THEME SENSITIVITY




Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
		X	

Sensitivity Features:

Sensitivity	Feature(s)
Low	Features with a Low paleontological sensitivity
Medium	Features with a Medium paleontological sensitivity

MAP OF RELATIVE PLANT SPECIES THEME SENSITIVITY



Where only a sensitive plant unique number or sensitive animal unique number is provided in the screening report and an assessment is required, the environmental assessment practitioner (EAP) or specialist is required to email SANBI at eiadatarequests@sanbi.org.za listing all sensitive species with their unique identifiers for which information is required. The name has been withheld as the species may be prone to illegal harvesting and must be protected. SANBI will release the actual species name after the details of the EAP or specialist have been documented.

Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
		X	

Sensitivity Features:


Sensitivity	Feature(s)
Low	Low Sensitivity
Medium	Lampranthus dilutus
Medium	Lampranthus filicaulis
Medium	Lampranthus glomeratus
Medium	Lampranthus leptaleon
Medium	Lampranthus scaber
Medium	Lampranthus spiniformis
Medium	Lampranthus stenopetalus
Medium	Lampranthus stenus
Medium	Lampranthus tenuifolius
Medium	Antimima aristulata
Medium	Erepsia patula
Medium	Erepsia ramosa

Medium	Erepsia dunensis
Medium	Ruschia geminiflora
Medium	Drosanthemum hispidifolium
Medium	Jordaaniella anemoniflora
Medium	Lessertia argentea
Medium	Xiphotheca lanceolata
Medium	Psoralea fascicularis
Medium	Psoralea glaucina
Medium	Liparia splendens subsp. splendens
Medium	Indigofera psoraloides
Medium	Aspalathus araneosa
Medium	Aspalathus globulosa
Medium	Aspalathus muraltioides
Medium	Aspalathus retroflexa subsp. bicolor
Medium	Podalyria argentea
Medium	Podalyria sericea
Medium	Thesium ecklonianum
Medium	Leucadendron coniferum
Medium	Leucadendron lanigerum var. lanigerum
Medium	Leucadendron levisanus
Medium	Leucadendron linifolium
Medium	Leucospermum hypophyllocarpodendron subsp. canaliculatum
Medium	Leucospermum hypophyllocarpodendron subsp. hypophyllocarpodendron
Medium	Protea burchellii
Medium	Diastella proteoides
Medium	Serruria aemula
Medium	Serruria brownii
Medium	Merciera tetraloba
Medium	Pentameris bachmannii
Medium	Pentameris pholiuroides
Medium	Ehrharta setacea subsp. uniflora
Medium	Anthospermum ericifolium
Medium	Lobostemon hottentoticus
Medium	Echiostachys incanus
Medium	Echiostachys spicatus
Medium	Sensitive species 533
Medium	Geissorhiza brehmii
Medium	Geissorhiza humilis
Medium	Geissorhiza setacea
Medium	Geissorhiza erosa
Medium	Ixia sarmentosa
Medium	Sensitive species 683
Medium	Sensitive species 1
Medium	Sensitive species 830
Medium	Sensitive species 1140
Medium	Sensitive species 298
Medium	Sensitive species 807
Medium	Sensitive species 863
Medium	Pauridia alba
Medium	Pauridia pygmaea
Medium	Oxalis natans
Medium	Erica capillaris var. capillaris
Medium	Sensitive species 769
Medium	Sensitive species 222
Medium	Sebaea rara
Medium	Sensitive species 444
Medium	Sensitive species 756
Medium	Tetragonia caesia
Medium	Adenogramma rigida
Medium	Wachendorfia brachyandra

Medium	<i>Hessea cinnamomea</i>
Medium	Sensitive species 847
Medium	<i>Isoetes capensis</i>
Medium	Sensitive species 133
Medium	<i>Isolepis inconspicua</i>
Medium	<i>Isolepis venustula</i>
Medium	<i>Trianoites solitaria</i>
Medium	<i>Ficinia elatior</i>
Medium	<i>Ficinia pinguior</i>
Medium	<i>Cannomois arenicola</i>
Medium	<i>Elegia prominens</i>
Medium	<i>Hypodiscus rugosus</i>
Medium	<i>Restio duthieae</i>
Medium	<i>Restio harveyi</i>
Medium	<i>Restio sabulosus</i>
Medium	<i>Restio impolitus</i>
Medium	<i>Restio papillosus</i>
Medium	<i>Restio pratensis</i>
Medium	<i>Cynanchum zeyheri</i>
Medium	Sensitive species 985
Medium	Sensitive species 120
Medium	Sensitive species 384
Medium	Sensitive species 1139
Medium	<i>Acrolophia bolusii</i>
Medium	<i>Pterygodium cruciferum</i>
Medium	<i>Gnidia spicata</i>
Medium	<i>Passerina paludosa</i>
Medium	<i>Lachnaea uniflora</i>
Medium	<i>Marasmodes polycephala</i>
Medium	<i>Poecilolepis maritima</i>
Medium	<i>Steiroidiscus tagetes</i>
Medium	<i>Cotula eckloniana</i>
Medium	<i>Cotula myriophylloides</i>
Medium	<i>Athanasia capitata</i>
Medium	<i>Arctotis angustifolia</i>
Medium	<i>Arctotheca forbesiana</i>
Medium	<i>Cullumia squarrosa</i>
Medium	<i>Diosma dichotoma</i>
Medium	<i>Adenandra villosa</i> subsp. <i>biseriata</i>
Medium	<i>Macrostylis villosa</i> subsp. <i>villosa</i>
Medium	<i>Cliffortia ericifolia</i>
Medium	<i>Cliffortia hirta</i>
Medium	<i>Cliffortia longifolia</i>
Medium	<i>Cliffortia marginata</i>
Medium	<i>Muraltia aspalatha</i>
Medium	<i>Muraltia macropetala</i>
Medium	<i>Muraltia mitior</i>
Medium	Sensitive species 214
Medium	Sensitive species 1265
Medium	Sensitive species 616
Medium	<i>Wurmbea inusta</i>
Medium	<i>Phylla dioica</i>
Medium	<i>Phylla plumosa</i> var. <i>squarrosa</i>
Medium	<i>Phylla thunbergiana</i>
Medium	<i>Codonrhiza azurea</i>
Medium	<i>Skiatophytum skiatophytoides</i>
Medium	<i>Lampranthus debilis</i>
Medium	<i>Lampranthus glaucus</i>
Medium	<i>Xiphotheca reflexa</i>
Medium	<i>Psoralea alata</i>

Medium	<i>Aspalathus lebeckioides</i>
Medium	<i>Aspalathus recurva</i>
Medium	<i>Aspalathus tylodes</i>
Medium	<i>Protea scolymocephala</i>
Medium	Sensitive species 593
Medium	Sensitive species 335
Medium	Sensitive species 599
Medium	<i>Elegia squamosa</i>
Medium	<i>Elegia verreauxii</i>
Medium	<i>Restio paludosus</i>
Medium	<i>Restio rigoratus</i>
Medium	Sensitive species 500
Medium	Sensitive species 53
Medium	Sensitive species 654
Medium	<i>Lachnaea capitata</i>
Medium	<i>Lachnaea grandiflora</i>
Medium	<i>Cotula pusilla</i>
Medium	Sensitive species 1225
Medium	<i>Zostera capensis</i>

MAP OF RELATIVE TERRESTRIAL BIODIVERSITY THEME SENSITIVITY



Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
X			

Sensitivity Features:

Sensitivity	Feature(s)
Low	Low Sensitivity
Very High	ESA 2: Restore from plantation or high density IAP
Very High	CBA 2: Terrestrial (see CT data)
Very High	CBA 1: Terrestrial (see CT data)
Very High	SWSA (SW) _Boland
Very High	CR_Cape Flats Sand Fynbos
Very High	EN_Boland Granite Fynbos
Very High	EN_Cape Flats Dune Strandveld